

CAR TRAVEL

Tourer

Back Seat Extender for Dogs, 54" Wide Hammock Rated to 350 lb

Rated to 350 lb, so a big dog doesn't sag the middle into the footwell. 54 inches wide – the back seat of almost any sedan, SUV or truck.



SPECIFICATIONS


PRODUCT TYPE	Car Travel
WIDTH	54 in
SEAT BACK	22.8 in
FOOTWELL EXTENDER	20.9 in
RATED TO	350 lb
WEIGHT	8.2 lb
FACE	600D Oxford with a PVC waterproof coating
BOARD	Honeycomb board bridging the footwell
UNDERSIDE	Non-slip rubber mesh
WINDOW	Mesh window in the front panel
CLEANING	Comes off in a minute and goes in the machine

Dimensions are approximate. Natural materials vary slightly from piece to piece.

KEY FEATURES

- **Bridges the footwell.** A rigid board makes the seat and the floor one flat platform, so there is no hole to stand up over.
- **Rated to 350 lb.** The middle doesn't sag into the gap under a big dog.
- **Off in a minute.** Two headrest straps, then it rolls up and goes in the machine.

Dimensions



OVERALL VIEW · NOT TO SCALE · DIMENSIONS AS LISTED

MEASUREMENTS

WIDTH	54 in
SEAT BACK	22.8 in
FOOTWELL EXTENDER	20.9 in

VIORN	
ITEM Tourer · Car Travel	
DRAWING NO. VI-CT-46818-D1	SCALE Not to scale
UNITS in / cm	REVISION A
ISSUED 9 Oct 2026	

Ordering & details

Catalogue numbers are Viorn reference numbers. Quote the catalogue number when ordering or contacting us.

CONFIGURATIONS

CONFIGURATION	CATALOGUE NO.
Standard	VI-CT-46818-01

WHO IT FITS

Rated to 350 lb, so a big dog doesn't sag the middle into the footwell. 54 inches wide — the back seat of almost any sedan, SUV or truck.

WILL IT FIT?

It is 54 inches wide, which covers the back seat of almost any sedan, SUV or truck. The headrest straps adjust, and the footwell panel can be folded back if your footwells are unusually deep. Press on the panel before you let him in; you will feel it is solid.

CARE

Comes off in a minute and goes in the machine

WARRANTY & RETURNS

Frames and hardware: 5 years. Covers, foam, fabric and mesh: 1 year. Cover runs from delivery, for the original buyer; chewing, clawing, overloading, misuse and normal wear are not covered. Returns within 30 days of delivery, unused and in original packaging, with no restocking fee. If it arrives damaged or wrong, we pay the return shipping.

Setup & use

GETTING STARTED

1. **Fit the headrest straps.** Adjust both so the front panel is held tight. On leather seats, pull the straps harder than you think you need to.
2. **Press on the footwell panel.** The board bridges the footwell so the seat and the floor become one flat platform. It should feel solid before he gets in.
3. **Take it off when you need the seats.** Unclip the two headrest straps and it rolls off in under a minute.

BEFORE YOU START

- ☐ The back seat measured
- ☐ A harness for your dog (never clip to a collar)
- ☐ The seat belt or headrest fixings checked

PLACEMENT GUIDELINES

SEAT

Use the back seat. Never place a dog in the front seat of a car with an active airbag.

TETHER

Clip any tether to a harness and keep it short enough that your dog cannot reach the front.

BREAKS

On long trips stop regularly for water and a walk.

Safety. This is a comfort and containment product, not a crash-tested restraint. Never leave a dog alone in a car.

Questions about sizing or setup?

support@viorn.com · +1 (813) 773-3585

9am – 5pm Eastern, seven days. We reply within 12 hours on business days.

Returns. 30 days from delivery, no restocking fee.